Index, Volume 41

A

Abandoned farmland, 22
Abernethy, Rollin H., 30, 35
Above-ground biomass, 477
Adams, L.D., 435
Additional soil moisture (irrigation), 387
Aerial seed application, 53
Agrostology, 350
Alabama, 274
Alfalfa *(Medicago sativa)*, and cicer milkvetch *(Astragalus cicer)*, 378, 383
Alfalfa-grass mixtures, 488
Ali, Mohamed Ben, 167
Alkali sacaton [*Sporobolus airoides*-'Salttalk,' 'Salado' (NM-184, and 'Durango 84"], 216
Alkaloids, 118
Allelopathic effects of sandbur leachate on switchgrass germination, observations, 86
Allelopathic potential, 86
Allred, Kelly W., 350
Alsike clover *(trifolium hybridum)*, 53
American licorice *(Glycyrrhiza lepidota)*, 342
Analysis of Russian thistle (*Salsola* species) selections for factors affecting forage nutritional value, 155
Anderson, D.M., 78
Animal gains, 282
Animal performance, 259
Annual and perennial, 88
Annual flooding, 495, 500
Ansley, R.J., 83, 90, 227, 355
Araya, Jaime E., 100
Argentina, 220, 495, 500
Arizona, 216, 307
Armentrout, Susan M., 139
Arthropod predation of black grass bugs (Hemiptera:Miridae) in Utah ranges, 100
Arthur III, W. John, 162
Association of the wheat stem sawfly with basin wildrye, 328
Atrazine dissipation and off-plot movement in a Nebraska sandhills subirrigated meadow, 416

B

Barnes, T.G.,
Barnett, Donald A., 340
Barreira, M.G., 410
Basal area, 186
Basal cover, 282
Bassiri, M., 378, 383
Bastin, G.N., 430
Beck, Reldon F., 186
Bedunah, Donald J., 144
Behaviour, 515
Beetle, Alan A., 370
Berg, William A., 22
Bermudagrass (*Cynodon dactylon*-'Callie,' 'Coastal,' 'Brazos,' and hybrids S-54 and S-16), 274
Bernardo, D.J., 178
Big bluestem *(Andropogon gerardii)*, 239, 481, 483
Big bluestem *(Andropogon gerardii)* seed production, 253
Big sacaton *(Sporobolus wrightii)*, 12
Big sagebrush *(Artemisia tridentata)*, 58, 63, 172, 395
Biological insect control, 100
Biomass, 197, 227
Bionomics of patterned herbicide application for wildlife habitat enhancement, 317
Bitterbrush *(Purshia tridentata)*, 63, 122
Blackburn, Wilbert H., 108, 296
Blackgrass bugs *(Labops hesperius* and *Irbisia brachycera)*, 100
Black-tailed jackrabbits *(Lepus californicus)*, 162
Bluebunch wheatgrass *(Agropyron spicatum)*, 88, 232
Blauer, A. Clyde, 114
Blue grama *(Bouteloua gracilis)*, 287, 391
Bobcat *(Felis rufus)*, 322
Bode, R.P., 287
Boe, A., 342
Book Reviews, 94, 184, 270, 359, 447, 524
Booth, D. Terrance, 335, 351
Borman, M.M., 167
Bowden, David C., 70, 515
Box, T.W., 66, 477
Bradley, Lisa C., 322
Brakensiek, Donald L., 307
Bransby, D.I., 274
Brejda, J.J., 416
Breed comparisons and characteristics of use of livestock guarding dogs, 249
British Columbia (Canada), 503
Britton, Carlton M., 407
Brooke, B.M., 53
Broom snakeweed *(Gutierrezia sarothrae)*, 92
Browse, 522
Bruchid beetle [*Acanthoscelides aureolus* (Horn) Coleoptera: Bruchidae], 342
Brush removal, 172, 470
Brush seed germination, 491
Brown, Ray W., 267
Browning, James A., 239
Brummer, J.E., 264
Buffelgrass *(Cenchrus ciliaris)*, 127
Bulk density, 500
Buman, Robert A., 30, 35
Bunting, Stephen C., 232, 410
Burning, 172
Burning (fire), 232, 239, 404, 407, 410, 413
Burning tallgrass prairie, 178
Burritt, E.A., 346

C

California, 251
Canopy estimation (photo digital), 355
Carbohydrates (nonstructural), 235, 287
Carbohydrates (TNC), 481
Carter, M.R., 253
Catingueira *(Caesalpinia pyramidalis)*, 66, 477
Cattle, 522
Cattle (behaviour), 509
Cattle distribution, 73
Cattle grazing rates, 78
Cattle grazing (behaviour), 118
Cattle grazing tall larkspur on Utah mountain rangeland, 118
Cattle vegetation, and economic responses to grazing systems and grazing pressure, 282
Cecidomyiid midge (*Contarinia wattsi* Gagne), 253
Cellulase vs. rumen fluid, 337
Cellulase vs rumen fluid for in vitro digestibility of mixed diets, 337
Central Colorado, 391
Central Great Plain, 86, 239, 253, 264, 481, 483
Central Great Plain (Sandhills), 416
Central Kansas, 481, 483
Central Texas, 108, 296, 401
Chambers, Jeanne C., 267
Chaneton, Enrique J., 495
Changes in grass basal area and forb densities over a 64-year period on grassland types of the Jornada Experimental Range, 186
Chemical analysis, 401
Chemical analysis (swainsonine), 399
Chemical composition of old world bluestem grasses as affected by cultivar and maturity, 40
Chemotaxonomy, 395
Chewings, V.H., 430
Clark, D.H., 488
Clark, Robert G., 407
Clawson, W. James, 193
Claypool, P.L., 40
Clearcut-logged sites, 53
Climatic-edaphic relationships, 127
Cluff, Greg J., 150
Coal mine reclamation, 491
Coastal bermudagrass and Renner lovegrass for fertilization responses in a subtropical climate, 7
Coastal bermudagrass *(Cynodon dactylon)*, 7
Coastal Plain, 441
Cochran, Robert, 483
Coffey, K.P., 426
Coleman, S.W., 40
Collecting, drying, and preserving feces for chemical and microhistological analysis, 168
Colorado, 332, 378, 383, 515
Columbia milkvetch *(Astragalus miser)*, 26
Columbia needlegrass *(Stipa columbiana)*, 232
Columbus, J. Travis, 350
Common garden, 155, 391
Comparative chemicl composition of armed saltbush and fourwing saltbush, 40
Comparison of water use by *Artemisia tridentata* spp. *wyomingensis* and *Chrysothamnus viscidiflorus* spp. *viscidiflorus*, 58
Conrad, B.E., 274
Consumption, 509

Index, Volume 41

A

Abandoned farmland, 22
Abernethy, Rollin H., 30, 35
Above-ground biomass, 477
Adams, L.D., 435
Additional soil moisture (irrigation), 387
Aerial seed application, 53
Agrostology, 350
Alabama, 274
Alfalfa *(Medicago sativa)*, and cicer milkvetch *(Astragalus cicer)*, 378, 383
Alfalfa-grass mixtures, 488
Ali, Mohamed Ben, 167
Alkali sacaton [*Sporobolus airoides*-'Salttalk,' 'Salado' (NM-184, and 'Durango 84"], 216
Alkaloids, 118
Allelopathic effects of sandbur leachate on switchgrass germination, observations, 86
Allelopathic potential, 86
Allred, Kelly W., 350
Alsike clover *(trifolium hybridum)*, 53
American licorice *(Glycyrrhiza lepidota)*, 342
Analysis of Russian thistle (*Salsola* species) selections for factors affecting forage nutritional value, 155
Anderson, D.M., 78
Animal gains, 282
Animal performance, 259
Annual and perennial, 88
Annual flooding, 495, 500
Ansley, R.J., 83, 90, 227, 355
Araya, Jaime E., 100
Argentina, 220, 495, 500
Arizona, 216, 307
Armentrout, Susan M., 139
Arthropod predation of black grass bugs (Hemiptera:Miridae) in Utah ranges, 100
Arthur III, W. John, 162
Association of the wheat stem sawfly with basin wildrye, 328
Atrazine dissipation and off-plot movement in a Nebraska sandhills subirrigated meadow, 416

B

Barnes, T.G.,
Barnett, Donald A., 340
Barreira, M.G., 410
Basal area, 186
Basal cover, 282
Bassiri, M., 378, 383
Bastin, G.N., 430
Beck, Reldon F., 186
Bedunah, Donald J., 144
Behaviour, 515
Beetle, Alan A., 370
Berg, William A., 22
Bermudagrass (*Cynodon dactylon*-'Callie,' 'Coastal,' 'Brazos,' and hybrids S-54 and S-16), 274
Bernardo, D.J., 178
Big bluestem *(Andropogon gerardii)*, 239, 481, 483
Big bluestem *(Andropogon gerardii)* seed production, 253
Big sacaton *(Sporobolus wrightii)*, 12
Big sagebrush *(Artemisia tridentata)*, 58, 63, 172, 395
Biological insect control, 100
Biomass, 197, 227
Bionomics of patterned herbicide application for wildlife habitat enhancement, 317
Bitterbrush *(Purshia tridentata)*, 63, 122
Blackburn, Wilbert H., 108, 296
Blackgrass bugs *(Labops hesperius* and *Irbisia brachycera)*, 100
Black-tailed jackrabbits *(Lepus californicus)*, 162
Bluebunch wheatgrass *(Agropyron spicatum)*, 88, 232
Blauer, A. Clyde, 114
Blue grama *(Bouteloua gracilis)*, 287, 391
Bobcat *(Felis rufus)*, 322
Bode, R.P., 287
Boe, A., 342
Book Reviews, 94, 184, 270, 359, 447, 524
Booth, D. Terrance, 335, 351
Borman, M.M., 167
Bowden, David C., 70, 515
Box, T.W., 66, 477
Bradley, Lisa C., 322
Brakensiek, Donald L., 307
Bransby, D.I., 274
Brejda, J.J., 416
Breed comparisons and characteristics of use of livestock guarding dogs, 249
British Columbia (Canada), 503
Britton, Carlton M., 407
Brooke, B.M., 53
Broom snakeweed *(Gutierrezia sarothrae)*, 92
Browse, 522
Bruchid beetle [*Acanthoscelides aureolus* (Horn) Coleoptera: Bruchidae], 342
Brush removal, 172, 470
Brush seed germination, 491
Brown, Ray W., 267
Browning, James A., 239
Brummer, J.E., 264
Buffelgrass *(Cenchrus ciliaris)*, 127
Bulk density, 500
Buman, Robert A., 30, 35
Bunting, Stephen C., 232, 410
Burning, 172
Burning (fire), 232, 239, 404, 407, 410, 413
Burning tallgrass prairie, 178
Burritt, E.A., 346

C

California, 251
Canopy estimation (photo digital), 355
Carbohydrates (nonstructural), 235, 287
Carbohydrates (TNC), 481
Carter, M.R., 253
Catingueira *(Caesalpinia pyramidalis)*, 66, 477
Cattle, 522
Cattle (behaviour), 509
Cattle distribution, 73
Cattle grazing rates, 78
Cattle grazing (behaviour), 118
Cattle grazing tall larkspur on Utah mountain rangeland, 118
Cattle vegetation, and economic responses to grazing systems and grazing pressure, 282
Cecidomyiid midge (*Contarinia wattsi* Gagne), 253
Cellulase vs. rumen fluid, 337
Cellulase vs rumen fluid for in vitro digestibility of mixed diets, 337
Central Colorado, 391
Central Great Plain, 86, 239, 253, 264, 481, 483
Central Great Plain (Sandhills), 416
Central Kansas, 481, 483
Central Texas, 108, 296, 401
Chambers, Jeanne C., 267
Chaneton, Enrique J., 495
Changes in grass basal area and forb densities over a 64-year period on grassland types of the Jornada Experimental Range, 186
Chemical analysis, 401
Chemical analysis (swainsonine), 399
Chemical composition of old world bluestem grasses as affected by cultivar and maturity, 40
Chemotaxonomy, 395
Chewings, V.H., 430
Clark, D.H., 488
Clark, Robert G., 407
Clawson, W. James, 193
Claypool, P.L., 40
Clearcut-logged sites, 53
Climatic-edaphic relationships, 127
Cluff, Greg J., 150
Coal mine reclamation, 491
Coastal bermudagrass and Renner lovegrass for fertilization responses in a subtropical climate, 7
Coastal bermudagrass *(Cynodon dactylon)*, 7
Coastal Plain, 441
Cochran, Robert, 483
Coffey, K.P., 426
Coleman, S.W., 40
Collecting, drying, and preserving feces for chemical and microhistological analysis, 168
Colorado, 332, 378, 383, 515
Columbia milkvetch *(Astragalus miser)*, 26
Columbia needlegrass *(Stipa columbiana)*, 232
Columbus, J. Travis, 350
Common garden, 155, 391
Comparative chemicl composition of armed saltbush and fourwing saltbush, 40
Comparison of water use by *Artemisia tridentata* spp. *wyomingensis* and *Chrysothamnus viscidiflorus* spp. *viscidiflorus*, 58
Conrad, B.E., 274
Consumption, 509

Contamination, 416
Control of threadleaf rubber rabbitbrush with herbicides, 470
Continuous and rotation grazing, 78
Cool-season grasses, 488
Correlation of degree-days with annual herbage yields and livestock gains, 193
Cover, 245
Coyote and bobcat responses to integrated ranch management practices in south Texas, 322
Coyote *(Canis latrans)*, 249, 251, 322
Cox, Jerry R., 12, 127, 216, 404
Crane, R.A., 317
Creosotebush *(Larrea tridentata)*, 387
Crested wheatgrass *(Agropyron cristatum)*, 488
Crested wheatgrass *(Agropyron desertorum)*, 73, 172, 378, 383, 421
Crested wheatgrass *(Agropyron desertorum)*, and *(Agropyron cristatum)*, 259, 421
Crested wheatgrass *(Agropyron* spp. 'Hycrest'), 30, 35
Crude protein, 235, 401
Cumberland Island National Seashore, 441
Cunningham, G.L. 387

D

Dabo, S.M.,
Dahl, Bill E., 337
Day/night temperature regimes, 35
De Alba-Avila, Abraham, 216
Deer 522
Defoliation impacts on coppicing browse species in northeast Brazil, 66
Defoliation of Thurber needlegrass: herbage and root responses, 472
Degree-day correlations, 193
Dehulling, 335
Dehydration, 378
Dehydration effects on seedling development of four range species, 383
Demarais, Stephen, 340
Demography, 267
Depuit, E.J., 372
Desert saltgrass *(Distichlis spicata)*, 150
Design of rain shelters for studying water relations of rangeland shrubs, 83
Determination of root mass ratios in alfalfa-grass mixtures using near infrared reflectance spectroscopy, 488
Developing countries, 167
Dickerson, Jr., Roy Lee, 337
Dicks, H.M., 274
Digestibility, 426
Digestibility (in vitro), 255, 337, 346, 401
Dissipation, 416
Diterpenoid alkaloids, 224
Dormaar, John F., 503
Dormant, 481
Douwes, H.E., 26
Dowhower, S.L., 227
Downy brome *(Bromus tectorum)*, 30, 35
Drane, J.W., 274
Drought tolerance, and plant selection, 383
Dry-weight (estimates), 430
Drying, 168
Drying method, 346
Duncan, Don A., 193
Dunn, T.G., 435

E

East African ecosystems, 450
Economic analyses, 172, 178
Economic assessment of risk and returns from prescribed burning on tallgrass prairie, 178
Economic comparison of aerial and ground ignition for rangeland prescribed fires, 413
Economic optimum big sagebrush control for increasing crested wheatgrass production, 172
Economics, 317, 413, 435
Eddleman, L.E., 491
Edmunds, D.A., 391
Edwards Plateau, 108, 296, 313
Effect of burning on seed production of bluebunch wheatgrass, Idaho fescue, and Columbia needlegrass, 232
Effect of clipping on the growth and miserotoxin content of Columbia milkvetch, 26
Effect of defoliation frequency and N-P-K fertilization on maidencane, 235
Effect of drying method on the nutritive composition of esophageal fistula forage samples: influence of maturity, 346
Effects of burning on germinability of Lehmann lovegrass, 404
Effects of phenology, site, and rumen fill on tall larkspur consumption by cattle, 509
Effects of prescribed fire on *Chamaespartium tridentatum* ((L.) P. Gibbs) in *Pinus pinaster* (Aiton) forests, 410
Effects of temperature, water potential, and sodium chloride on Indiangrass germination, 207
Electric fences for reducing sheep losses to predators, 251
Elk sedge *(Carex geyeri)*, 144
Ellis, James E., 450
Emergence, 216
Engelsjord, Michael, 224
Engle, D.M., 178
Erosion, 296
Esophageal (cannula), 269
Esophageal fistula (forage samples), 346
Establishment of winter versus spring aerial seedings of domestic grasses and legumes on logged sites, 53
Estimating digestibility of oak browse diets for goats by in vitro techniques, 255
Estimation of phytomass for ungrazed crested wheatgrass plants using allometric equations, 421
External markers, 426

F

Facelli, Jose M., 495
Factors influencing infiltrability of semiarid mountain slopes, 197
Fagre, Daniel B., 322
False broomweed *(Ericameria austrotexana)* perennial grasses, 2
Farming, 155
Fecal analyses, 168
Fecal output (predication), 426
Feces, collecting, 168
Female mule deer *(Odocoileus hemionus)*, 70
Fences (electric), 251
Fernández, Robert J., 220
Fertilization (N-P-K), 235
Fertilization (nitrogen and phosphorus), 7
Fertilization (soil nitrogen), 22
Fertilization (N), 387
Fiber, 346
Field, 100
Field colonies, 104
Fire effects on tobosagrass and weeping lovegrass, 407
Fischbach, David A., 365
Fisher, F.M., 387
Flameleaf sumac *(Rhus lanceolata)*, 48
Flinn, R.C., 317
Flint Hills, 481, 483
Florida, 460
Floristic changes, 495
Floristic changes induced by flooding on grazed and ungrazed lowland grasslands in Argentina, 495
Forage and livestock production, 193
Forage estimates, 167
Forage production, 108
Forage production (yield), 430
Forage quality, 40, 155
Forage yield, 7, 26, 78
Forage yield (grasses, forbs, shrubs), 16
Forage yield (green and dead), 12
Forb, 291
Forest, 63, 144
Forest management, 466
Forests, 26
Fourie, J.H., 127
Fowler, James L., 155
Frasier, Gary W., 366
Frequency, 2
Friedel, M.H., 430
Front Range, 515
Fruit, 351
Frye, D.O., 73
Fulbright, Timothy E., 207, 401

G

Gains, 178
Gains (cattle), 435
Gallagher, J.F., 522
Ganskopp, David, 472
Garza Jr., Andre, 401
Gas exchange, 239
Gates, Robert J., 162
George, Melvin R., 193
Georgia, 441
Genetic variability, 391
Germination, 335
Germination as affected by temperature, water potential, and salt, 207
Germination of green and gray rubber rabbitbrush and their establishment on coal mined land, 491

Germination requirements of flameleaf sumac, 48
Germination responses of desert saltgrass to temperature and osmotic potential, 150
Gibbens, Robert P., 186
Gifford, Gerald F., 159
Gillen, R.L., 264
Goat grazing, 66
Goats *(Capra hircus)*, 255
Goebel, Carl J., 88
Grami, B., 378, 383
Gramineae, 350
Grass and legume seeding, 53
Grass and shrub densities, 291
Grasslands, 503
Grass-legume establishment, 210
Grass seed germination, 35, 86, 88, 150
Grass seeding, 127
Grass seedling competition, 30
Grass-shrub, 186
Grass spiklet formula: an aid in teaching and identification, The, 350
Grasses and forbs, 337
Gray horsebush *(Tetradymia canescens)*, 16
Gray rubber rabbitbrush *(Chrysothamnus nauseosus* spp. *nauseosus)*, 491
Grazing, 441, 460, 495, 500
Grazing effects of the bulk in a Natraquoll of the Flooding Pampa of Argentina, 500
Grazing intensity, 274
Grazing of crested wheatgrass, with particular reference to effects of pasture size, 73
Grazing management, 279
Grazing pressure, 503
Grazing, stocking, and production efficiencies in grazing research, 279
Grazing system, 264, 287, 303, 483
Grazing systems, 259, 279, 282, 291, 296, 450
Grazing tolerance, 472
Gray rabbitbrush *(Chrysothamnus nauseosus)*, 63
Great Basin, 30, 35, 58, 73, 88, 100, 104, 114, 118, 122, 150, 159, 162, 172, 232, 249, 259, 309, 332, 335, 372, 378, 383, 395, 421, 435, 470, 472, 488, 491, 509
Green, Jeffrey S., 249
Green rabbitbrush *(Chrysothamnus viscidiflorus)*, 58
Greenhouse, 30
Greenleaf manzanita *(Arctostaphylos patula)*,, 63
Griffith, Brad, 122
Griffith, Larry W., 335
Growth and gas exchange of *Andropogon gerardii* as influenced by burning, 239
Growth and production, 216
Growth of *Gutierrezia sarothrae* seedlings in the field, 92
Growth stage, 40
Guard dogs (livestock), 249
Gulf Coastal Plain, 322

H

Habitat selection and activity patterns of female mule deer in the Front Range, Colorado, 515
Hacker, R.B., 73
Hageman, James H., 155
Hairy mountain mahogany *(Cercocarpus breviflorus)*, 153
Hall, J.W., 26
Hamilton, Wayne T., 2, 317
Hand removal, 66, 477
Hanson, Clayton L., 307
Hardesty, L.H., 66, 477
Harris, Grant A., 88
Hart, Richard H., 282, 362, 435
Harvest efficiency, 279
Harvester ants *(Pogonomyrmex owyheei)*, 104
Haws, Austin, 100
Heifer nutrition and growth on short duration grazed crested wheatgrass, 259
Heitschmidt, R.K., 227
Henderson, Douglas M., 395
Herbage, 235, 239, 245, 259
Herbage accumulation, 264
Herbage disappearance, 264
Herbage dynamics, 279
Herbage dynamics of tallgrass prairie under shoot duration grazing, 264
Herbage (estimations), 421
Herbage growth (basal area, height culms), 407
Herbage production, 282
Herbage removal, 481
Herbicidal control of pricklypear cactus in western Texas, 313
Herbicide application, 317
Herbicide (atrazine), 416
Herbicide control, 313
Herbicides, 470
Herd size, 73
High intensity-low frequency, 108
Hinnant, Ray T., 168
Hironaka, M., 232
Hobbs, N.T., 368
Holl, F.B., 53
Home range, 515
Honey mesquite *(Prosopis glandulosa)*, 83, 90
Hong, Zhao Xiao, 509
Horn, F.P., 40
Horses (wild-feral), 441
Hunt, C.W., 426
Hunting, 70
Hutten, Neil C., 159
Hydrologic impacts of sheep grazing on steep slopes in semiarid rangelands, 303

I

Ibarra-F., F.A., 127
Idaho, 16, 104, 162, 232, 307
Idaho fescue *(Festuca idahoensis)*, 232
Improved pasture, 7, 22
In vitro digestibility, 235
Indian ricegrass *(Oryzopsis hymenoides)* 'Nezpar'), 335
Indian ricegrass seed damage and germination response to mechanical treatments, 335
Indian ricegrass [*Sorghastrum nutans* (L.) Nash—'Cheyenne', 'Llano', 'Lometa', 'Oto', and 'Tejas'], 207
Inexpensive alternative esophageal cannula for growing steers and wethers, 269
Infiltration, 197, 296, 303
Infiltration an interrill erosion responses to selected livestock grazing strategies, Edwards Plateau, Texas, 296
Infiltration equations, 159
Infiltration rate, 307
Influence of climate and soils on the distribution of four African grasses, 127
Influence of forest site on total nonstructural carbohydate levels of pinegrass, elk sedge, and snowberry, 144
Influence of hunting on movements of female mule deer, 70
Infrared reflectance spectroscopy, 488
Insect longevity, 104
Insect-plant association, 328
Insects, 253
Insect-plant predation, 342
Integrated brush management, 317
Integrated wildlife, 322
Intermediate wheat grass *(Elytrigia repens)*, 488
Intermountain area, 30, 35, 58, 73, 88, 100, 104, 114, 122, 150, 159, 162, 172, 232, 249, 259, 309, 332, 335, 372, 378, 383, 395, 421, 435, 470, 472, 488, 491
Intermountain Forest-Meadows, 118, 509
Introduced grasses, 7, 22
Irrigated pasture, 274
Irrigation, 155, 210
Irrigation water for vegetation establishment, 210

J

Jacoby, P.W., 83, 90, 227, 355
Jacobson, Tracy L.C., 332
Johnson, D.E., 167
Johnson, Craig L., 421
Johnson, James B., 328
Johnson, Patricia S., 421
Jorgensen, Clive D., 104
Jurema preta *(Minosa acutistipula)*, 477
Justification for grazing intensity experiments: analyzing and interpreting grazing data,274

K

Kalmbacher, R.S., 235, 245
Kaltenbach, C.C., 435
Kansas and Oklahoma, 178
Kenya, 450
Kleingrass *(Panicum coloratum)*, 127
Koerth, B.H., 317
Kothmann, M.M., 168
Krueger, Janice K., 144
Kufeld, Roland C., 70, 515

L

Laboratory, 48, 86, 88, 100, 150, 207, 255, 335, 337, 346

Lane, Mark A., 509
Large and small rainfall additional soil moisture (irrigation), 387
Large and small rainfall events, 387
Lavado, Raúl S., 500
Lawrence, B.K., 83, 90, 355
Laycock, W.A., 391
Leachate, 86
Lecaptain, Roxanne, 155
Legume *(Medicago sativa)*, 488
Lehmann lovegrass *(Eragrostis lehmanniana)*, 127, 404
Leon, Rolando J.C., 495
Levels of a neurotoxic alkaloid in a species of low larkspur, 224
Lewis, Clifford E., 460, 466
Livestock gains, 483
Livestock grazing strategies, 108
Livestock poisoning, 224
Longevity of harvester ant colonies in southern Idaho, 104
Louisiana, 274
Low larkspur *(Delphinium nuttalianum* Pritz), 224
Lowland grasslands, 495, 500

M

Mahgoub, El Fatih, 153
Maidencane (*Panicum hemitomon* Schult.), 235
Majak, W., 26, 224
Malechek, John C., 255, 259, 346, 477
Management systems, 460
Manglitz, G.R., 253
Manners, Gary D., 118, 509
Mapping (table), 267
Mapping table for obtaining plant population data, A, 267
Marmeliero *(Croton hemiargyreus)*, 66, 477
Martin, F.G., 235, 245
Martin, S. Clark, 291
Martin-R., M.H., 127
Maser, Chris, 309
Maser, Zane, 309
Maturity, 346
Mayeux, Jr., Herman, 2
McArthur, E. Durant, 114
McCollum, E.T., 178
McCollum, F.T., 264
McDaniel, B., 342
McDougald, Neil K., 193
McGinnies, W.J., 391
McPherson, Guy R., 413
Mechanical, 172
Mechanical brush control, 245
Mechanical brush removal, 159
Mechanical shrub control on flatwoods range in south Florida, 245
Mechanical treatments, 460
Medusahead *(Taeniatherum asperum)*, 88
Mesquite *(Prosopis glandulosa)*, 227
Mesquite *(Prosopis glandulosa)* trees, 355
Methods of ytterbium analysis for predicting fecal output and flow rate constants in cattle, 426
Miller, Jack R., 98
Miller, Richard F., 58
Miller, S.J., 426
Mine spoils, 210
Mixed diets, 337
Mixed-grasses, 282, 287
Mobile screen, 355
Moina, Randy, 309
Molyneux, Russell J., 399
Monsen, Stephen B., 30
Montana, 144
Mortality, 267
Moser, L.E., 416
Mountain big sagebrush *(Artemisia tridentata)*, 114
Mountain rye *(Secale montanum)*, 30, 35
Movement, 416
Muir, A.D., 26
Mule deer females *(Odocoileus hemionus)*, 515
Mule deer-induced mortality of mountain big sagebrush, 114
Mule deer *(Odocoileus hemionus)*, 122
Mule deer *(Odocoileus hemionus)* browsing, 114
Murphy, Alfred H., 193
Murray, Robert B., 16
Mycorrhizal fungi, 309

N

Nass, Roger, D., 25
Nastis, Anastasios, S., 255
Native woodland, 66, 477
Neal, Donald L., 353
Near infrared reflectance spectroscopy (NIRS), 488
Nebraska, 416
Nebraska Sandhills, 86
Needleandthread *(Stipa comata)*, 287
Nelson, M.L., 269
Nevada, 150, 307, 332
New Mexico, 216
Night-time applications, 313
Nonactive growth, 481
Nonlinear regression, 421
North American Forests, 224
North Dakota and Montana, 210
Northcentral Australia, 430
Northcentral Oklahoma, 40
Northcentral Texas, 227
Northcentral Washington, 122
Northeastern Brazil, 66, 477
Northeastern California, 63
Northeastern Oklahoma, 264
Northeastern Mexico, 7
Northern and Southern hemispheres, 127
Northern California, 193
Northern Colorado, 70
Northern Great Plains, 210
Northern Mexico, 12, 216
Northern Texas, 48
Norton, M.K., 73
Nutrition, 410
Nutritional studies, 522

O

Oak *(Quercus gambellii)*, 255
Obligations and expectations of your peers: manuscript review at the *Journal of Range Management*, 368
Oil and gas, 372
Old world bluestem *(Bothriochloa caucasica)*, 22
Old world bluestems (*Bothriochloa* spp.- 'Caucasian'; 'Ganada'; 'Plains'; 'WW-Spar'), 40
Olson, Kenneth C., 259
One-seed juniper *(Juniperus monosperma)*, 139
Optimal stocking rate for cow-calf enterprises on native range and complementary improved pastures, 435
Orchard grass *(Dactylis glomerata)*, 53
Oregon, 58, 251, 309
Orphan fawns, 340
Ortiz, Melchor, 153
Osman, Abdelgader, 92
Osmotic potential, 48, 150
Owens, M.K., 73
Owensby, Clenton B., 483

P

pH, 48
Paruelo, José M., 220
Pastoral societies, 450
Pasture size, 73
Pastures (native and improved), 435
Patagonion Semidesert Grassland, 220
Paterson, J.A., 426
Patterns of American licorice seed predation by *Acanthoscelides aureolus* (Horn) (Coleoptera:Bruchidae) in South Dakota, 342
Patton, Bob D., 232
Paw branco *(Auxemma oncocalyx)*, 66, 477
Peek, James M., 122
Peer review of technical manuscripts, 366
Pellets, 16
Pendrey, B.M., 488
Perennial warm-season grasses, 127
Petersen, Joseph L., 313
Pfister, James A., 118, 346, 509
Phenological stages, 472
Physical development, 340
Physical development of orphaned white-tailed deer fawns in southern Texas, 340
Pickett, E.E., 426
Pieper, Rex D., 92, 139, 153
Pine-wiregrass vegetation, 460, 466
Pinegrass *(Calamagrostis rubescens)*, 144
Pinyon pine *(Pinus edulis)*, 139
Pivot balance, 167
Plant-animal mutualism, 309
Plant community development on petroleum drill sites in northwestern Wyoming, 372
Plant distribution surrounding Rocky Mountain pinyon pine and oneseed juniper in south-central New Mexico, 139

Plant populations, 267
Plant responses to pine management and deferred-rotation grazing in north Florida, 460
Plant succession, 309, 372
Plant taxonomy, 350
Planting depth, 216
Planting depth and soil texture effects on emergence and production of three alkali sacaton accessions, 216
Plowing (web plow), 245
Poaceae, 350
Poisonous plants, 118, 509
Poisonous plants (miserotoxin), 26
Porter, Sanford D., 104
Potential biological predators, 100
Potter, Robert L., 313
Power, J.F., 210
Precipitation, 186
Predator control, 249, 251
Prediction of soil cover and soil rock for rangeland infiltration, 307
Predicting biomass of five shrub species in northeastern California, 63
Preserving, 168
President's Address: Furthering the Range Management Profession, 98
Price, D.L., 227, 355
Pricklypear cactus (*Opuntia* spp.), 313
Production, 269, 477
Production (calves), 435
Production (grasses and shrubs), 410
Production (green biomass), 66
Protein, 12

Q

Quackgrass *(Pseudoroegneria spicata)*, 488
Quadrat frame for back country vegetation sampling, 353
Quantitative description (geometrical methods), 220
Quinton, D.A., 26

R

Raguse, Charles A., 193
Rain shelter construction, 83
Ralphs, Michael H., 118, 509
Range condition, 282
Rasmussen, G. Allen, 48, 413
Ratliff, Raymond D., 353
Rawls, Walter J., 307
Reader expectations: how important to meet?, 365
Reclamation, 210, 372
Recruitment, 267
Redberry juniper *(Juniperus pinchotii)*, 413
Reece, P.E., 287
Rego, Francisco, C., 410
Remote areas, 353
Response of false broomweed and associated herbaceous species to fire, 2
Response of three shrub communities in southeastern Idaho to spring-applied tebuthiuron, 16
Rethman, N.F.G., 127
Rethwisch, M.D., 253
Revegetation, 30, 210, 216
Richardson, B.Z., 372
Ries, R.E., 210
Rio Grande Plain, 2, 7, 317, 340
Riparian (moist) valleys, 399
Robbins, K., 342
Roberts, Fred H., 407
Rock (soil profile), 307
Rock (soil surface), 307
Rocks, 197
Rocky Mountains, 70, 515
Roder, W., 86
Roller chopper, 245
Rolling Plains, 227, 313, 401
Romo, J.T., 491
Root and shoot biomass, 92
Root and shoot growth, 472
Root and shoot production, 387
Root containerization for physiological studies of shrubs and trees on rangeland, 90
Root distribution, 220, 227
Root excision, 378
Root excision and dehydration effects on water uptake in four range species, 378
Root growth box *Secale montanum* Guss., 30
Root growth of *Artemisia tridentata*, 332
Root mass ratios, 488
Root separations, 488
Root systems of two Patagonian shrubs: A quantitative description using a geometrical method, 220
Rough fescue *(Festuca scabrella)*, 503
Roundy, Bruce A., 150, 404
Ruby Valley pointvetch *(Oxytropis riparia)*, 399
Rumbaugh, M.D., 488
Rumen fill, 509
Russian thistle (*Salsola* spp.), 155
Russian wildrye *(Elymus junceus)*, 378, 383
Russian wildrye *(Psathyrostachys juncea)*, 488
Ruyle, G.B., 404

S

Sabia' *(Mimosa caesalpinia)*,, 66
Sagebrush (*Artemisia* spp.), 16
Sagebrush *(Artemisia tridentata)* and *(Artemisia wyomingensis)*, 332
Sagebrush-forest, 372
Salas, Virginia, 155
Saltbush, 401
Saltmarsh-grasslands *(Spartina alterniflora)*, 441
Salts, 150
Samuel, Marilyn J., 282
Sandbur *(Cenchrus longispinus)*, 86
Sanderson, Stewart, C., 114
Sandoval, F.M., 210
Scarification, 48, 335
Scarnecchia, David L., 279
Schaalje, G. Bruce, 503
Schrupp, Donald L., 70, 515
Scifres, C.J., 317
Scott, Gretchen, 337
Season of cutting affects biomass production by coppicing browse species of the Brazilian caatinga, 477
Seasonal burning, 2
Seasonal burning and mowing, 12
Seasonal burning and mowing impacts on *Sporobolus wrightii* grasslands, 12
Seasonal carbohydrate levels, 144
Seasonal clipping, 26
Seasonal grazing, 78
Seasonal stocking of tobosa managed under continuous and rotation grazing, 78
Secar bluebunch wheatgrass as a competitor to medusahead, 83
Sedimentation, 303
Seed dormancy, 335
Seed germination, 404
Seed midge pest of big bluestem, 253
Seed morphology, 351
Seed production, 232
Seeded wheatgrass pastures (*Agropyron* spp.), 100
Seeding depth, 48
Seedling competition between mountain rye, 'Hycrest' crested wheatgrass, and downy brome, 30
Seedling development, 378, 383
Seedling root and shoot production, 30
Seedling root growth, 332
Semidesert Grassland, 12, 78, 92, 186, 216, 291, 404, 407, 413, 430
Semidesert Shrubland, 387
Semidesert Woodland, 139, 153, 197, 303
Separating leaves, 522
Separating leaves from browse for use in nutritional studies with herbivores, 522
Severson, Kieth E., 291
Shannon index, 466
Shea, P.J., 416
Sheep losses, 251
Short duration, 108
Shrub above-ground biomass, 66
Shrub above-ground biomass estimates, 63
Shrub *(Chamaespartium tridentatum)*, 410
Shrub mortality, 66, 114
Shrub production and utilization, 153
Shrub root distribution, 90
Shrub seed germination, 48
Shrub seeding growth, 92
Shrub succession, 122
Shrub water relations, 83, 90
Shrub water use, 58
Shrubs *(Mulinum spinosum)* and *(Senecio filaginoides)*, 220
Simanton, J. Roger, 307
Simple pivot balance for measuring phytomass in quadrats, 167
Simpson index, 466
Simulation and management implications of feral horse grazing on Cumberland Island, Georgia, 441
Site, 509
Slash and longleaf pine *Pinus elliotti* and *P. palustris)*, 460, 466
Slope, 197
Small-mammal mycophagy in rangelands of central and southeastern Oregon, 309

Smith, Michael A., 282
Smith, Ed F., 483
Smith, P.W., 372
Smooth brome *(Bromus inermis)*, 53
Snake River Plain, 328
Snowberry *(Symphoricapos albus)*, 144
Snowbrush *(Ceanothus velutinus)*, 63
Soil depth, 197
Soil development, 372
Soil ingestion, 162
Soil nitrogen accumulation in fertilized pastures of the soil-plant water potential, 58
Soil texture, 216
Soil water potential, 30
Soils, 159
Some observations from the excavation of honey mesquite root systems, 227
Some vegetation responses to selected livestock grazing strategies, Edwards Plateau, Texas, 108
South America, 66, 220, 477, 495, 500
South Dakota, 342
Southcentral New Mexico, 139, 153, 155
Southeastern Arizona, 12, 291, 404
Southeastern Florida, 235
Southeastern New Mexico, 303
Southeastern Texas, 274
Southeastern Wyoming, 282
Southern British Columbia (Canada), 26, 53
Southern Coastal flatwoods, 460
Southern Coastal Plain (flatwoods), 245
Southern Coastal Plains, 235, 274
Southern Florida, 245, 466
Southern Great Plain, 22, 40, 48, 178, 207
Southern Idaho, 159, 249, 328
Southern New Mexico, 78, 92, 186, 197, 387
Southern Texas, 2, 7, 317, 322, 340
Spatial distribution, 503
Species composition, 282
Species diversity, 466
Species (plant) composition changes, 108
Split-tee cannulas, 269
Spomer, George G., 395
Spore dispersal, 309
Spring herbicide application, 16
Stability of African pastoral ecosystems: Alternate paradigms and implications for development, 450
Stability of grazed patches on rough fescue grasslands, 503
Standing crop, 2, 279
Steep slopes, 303
Stocking rate, 264, 435, 483
Stocking rate effects on intensive early stocked Flint Hills bluestem range, 483
Stocking rates (cattle), 178
Stubbendieck, J.L., 86
Subspecies, 395
Successional patterns in bitterbrush habitat types in north-central Washington, 122
Suzukida, Margaret, 155
Svejcar, Tony J., 239
Swift, David M., 450
Swindel, Benee F., 466
Switchgrass *(Panicum virgatum)*, 86

T

Taboada, Miguel A., 500
Taliaferro, C.M., 40
Tall larkspur *(Delphinium barbeyi)*, 118, 509
Tanaka, John A., 172
Tanner, George W., 245, 460, 466
Taylor, Jr., Charles A., 108, 296
Tazi, Mohammed, 88
Teaching aids, 350
Tebuthiuron (N-[5-(1,1-dimethylethyl)-1,3,4-thiadiazol-2-6]-N,N'-dimethylurea), 16
Temperature, 48, 88, 150, 491
Temperature effects, 35
Temperature requirements for mountain rye, 'Hycrest' crested wheatgrass, and downy brome germination, 35
Terry, W. Stephen, 460
Test, Peter S., 282
Theade, John, 251
Thermogradient plate, 35
Trace elements, 162
Threadleaf rubber rabbitbrush *(Chrysothamnus nauseosus* spp. *consimilis)*, 470
Threeawn (*Aristida* spp.), 460, 466
Thurber needlegrass *(Stipa thruberiana)*, 472
Thurow, Thomas L., 108, 296
Tiller growth, 287
Timothy *(Phleum pratense)*, 53
Tobosagrass *(Hilaria mutica)*, 78, 407
Toxicological investigations on Ruby Valley pointvetch, 399
Trace element intake via soil ingestion in pronghorns and in black-tailed jackrabbits, 162
Trees, 477
Tromble, John M., 197
Truck-mounted mobile screen for photodigital estimation of whole plant leaf area, A, 355
Tsuchiya, T., 391
Turner, Monica Goigel, 441

U

UV identification (absorption), 395
Ueckert, Darrell, N., 313
Understory plants, 139
Upper Snake River Plain, 16
Use of comparative yield and dry-weight-rank techniques for monitoring arid rangeland, 430
Use of leader lengths and diameters to estimate production and utilization of *Cercocarpus breviflorus*, 153
Use of UV absorption for identifying subspecies of *Artemisia tridentata*, 395
Using the Green and Ampt infiltration equation on native and plowed rangeland soils, 159
Utah, 73, 100, 114, 118, 307, 332, 421, 509

V

Variability within a native stand blue grama, 391
Varner, L.W., 522
Vegetation and livestock management, 322
Vegetation canopy, 307
Vegetation changes, 186
Vegetation cover, 197
Vegetation patterns, 139
Vegetation response to the Santa River grazing system, 291
Vegetation sampling (frame-quadrat), 353
Viewpoint: Who are those Smiths, 370
Vigor of needleandthread and blue grama after short duration grazing, 287
Vogel, K.P., 253
Volume-weight comparisons, 421
Vora, Robin S., 63

W

Waggoner, Jr., J.W., 435
Waller, S.S., 86, 287, 416
Washington, 88, 251
Water and nitrogen effects on growth and allocation patterns of creosotebush in the northern Chihuahuan Desert, 387
Water potential, 239
Water potential and salt, 207
Water stress, 491
Water uptake, 378
Weeping lovegrass *(Eragrostis curvula)*, 22, 127, 407
Weeping lovegrass *(Eragrostis curvula 'Renner')*, 7
Welch, Bruce L., 332
West, Neil E., 421
West Texas, 216, 407, 413
Westcentral Utah, 259
Wester, David B., 407
Western Great Plain (shortgrass prairie), 391
Western Nebraska, 287
Western Oklahoma, 22, 239
Western Texas, 313
Westfall, Stanley E., 353
What do researchers like to read?, 367
Wheat stem sawfly *(Cephus cinctus*, Hymenoptera: Cephidae) basin wildrye *(Elymus cinereus)*, 328
Wheatgrass *(Thinopyrum intermedium)*, 488
Whisenant, Steven G., 470
White clover (T. repens), 53
White-tail deer *(Odocoileus virginianus)*, 340
Whitford, W.G., 387
Whole plant, 355
Wiedenfeld, Robert P., 7
Wilcox, Bradford P., 197, 303
Wilcox, D.G., 127
Wildlife, 114, 162, 340
Wildlife activity, 515
Wildlife habitat, 122, 317
Wildlife management, 322
Wildlife movement, 70
Williams, M. Coburn, 399
Willoughby, Robert L., 193
Willms, Walter D., 503
Winter-annual grasslands, 193
Wilson, A.M., 378, 383

Wilson, Charles B. 193
Winter and spring speeding, 53
Winterfat diaspore morphology, 351
Winterfat *(Eurotia lanata)*, 351
Wood, John M., 245
Wood, M. Karl, 197, 303
Woodland, 410
Woodruff, Roger A., 249
Workman, John P., 172
Wright, Henry A., 48, 367, 413
Writing for the reader, 362
Writing for your audience, 364
Wyoming, 332, 435

Y,Z

Yonker, C.M., 391
Young cattle and sheep, 269
Young, James A., 364
Youtie, Berta A., 122, 328
Ytterbium analysis, 426
Zaiglin, Robert E., 340
Zak, J.C., 387

Thanks
to Jerry Cox for compiling the Index for Volume 41.